January 28, 2008

2008 Owens Valley PM₁₀ Planning Area Demonstration of Attainment State Implementation Plan

TABLE OF CONTENTS

1	Introduc		<u>age</u>
1	Introduc 1.1	Federal Clean Air Act and Owens Valley SIP History	
	1.2	Elements of the 2008 SIP	1-2
	1.3	References	. 1-3
2	Owens '	Valley Planning Area	
	2.1	Project Location and Land Ownership	2-1
		2.1.1 Location	
		2.1.2 Land Ownership	
	2.2	Project History	. 2-2
		2.2.1 Environmental Setting and Effects of Diversions	
		on Owens Lake	
		2.2.1.1 Geologic History	
		2.2.1.2 Historic Lake Levels	
		2.2.1.3 Plants and Wildlife	
		2.2.1.4 Cultural History	
		2.2.2 Legal History	
		2.2.2.1 Natural Soda Products Co. vs. City of Los Angeles	
		2.2.2.2 Senate Bill 270	
		2.2.3 Regulatory History	
		2.2.3.1 PM ₁₀ Nonattainment Designation	
		2.2.3.2 1990 Clean Air Act Amendments	
		2.2.3.3 Exceptional Events Policy	
	2.3	References	. 2-8
3	Air Qual	ity Setting	
	3.1	Weather and Climate	. 3-1
	3.2	Air Quality and Area Designations	. 3-1
	3.3	PM ₁₀ Air Quality	. 3-3
		3.3.1 Health Impacts of PM ₁₀	3-3
		3.3.2 Owens Lake Health Advisory Program	3-3
		3.3.3 Monitoring Sites and Data Collection	3-4
		3.3.3.1 PM ₁₀ Monitoring Network	
		3.3.3.2 Dust Transport Study	3-5
		3.3.3.3 PM _{2.5} Monitoring Keeler	3-5

		3.3.4 PM ₁₀ Data Summary	
		3.3.4.1 Number of 24-hour Exc	ceedances3-6
		3.3.4.2 Annual Average PM ₁₀	Concentrations3-6
			ons3-6
		· · · · · · · · · · · · · · · · · · ·	3-7
	2.4		
	3.4	Cancer Risk Due to Owens Lake Dust Stori	
	3.5	Visibility and Sensitive Airsheds	
	3.6	Off-Lake PM ₁₀ Violations	
	3.7	References	3-9
	DM F	Section Learning	
4		nission Inventory	
	4.1	Introduction	
	4.2	Non-Owens Lake PM ₁₀ Emissions	
		4.2.1 Entrained Paved Road Dust and	Vehicle Exhaust
		Emissions For Mobile Sources	4-1
		4.2.2 Entrained Unpaved Road Dust	4-2
		4.2.3 Residential Wood Combustion	
		4.2.4 Prescribed Burning Emissions an	
		4.2.5 Industrial Facilities	
		4.2.6 Agricultural Operations	
	4.3	Locating And Estimating Wind-Blown Dust	
		4.3.1 Dust ID Program Overview	4-4
		4.3.2 Sand Flux Measurements	4-6
		4.3.3 Source Area Mapping	4-7
		4.3.4 Temporal and Spatial K-factors	
		4.3.5 Daily and Annual PM ₁₀ Emissions	
	4.4	4.3.6 Daily and Annual PM ₁₀ Emissions	
	4.4	PM ₁₀ Emissions Forecast	
	4.5	References	4-12
5	DM Co	ntrol Measures	
J			F 1
	5.1	Introduction	
	5.2	Shallow Flooding	
		5.2.1 Description of Shallow Flooding f	
		5.2.2 PM ₁₀ Control Effectiveness for Sh	nallow Flooding5-3
		5.2.3 Fall and Spring Shallow Flooding	Ramping Flow Operations . 5-4
		5.2.3.1 Fall Shoulder Season:	
			bber 155-5
		5.2.3.2 Spring Shoulder Seaso	
		, ,	
		· · · · · · · · · · · · · · · · · · ·	05-5
		5.2.4 Shallow Flooding Operational Re	
		5.2.5 Shallow Flooding Compliance Mo	<u> </u>
		5.2.6 Shallow Flooding Habitat	
		5.2.7 Shallow Flooding Operation and	Maintenance5-9
	5.3	Managed Vegetation	
		5.3.1 Description of Managed Vegetation	
		5.3.2 PM ₁₀ Control Effectiveness for Managed	
		5.3.3 Managed Vegetation Habitat	
		5.3.4 Managed Vegetation Operation a	nu maintenance5-14

	5.4	Gravel Blanket	5-14
		5.4.1 Description of Gravel Blanket for PM ₁₀ Control	5-14
		5.4.2 PM ₁₀ Control Effectiveness for Gravel Blanket	5-15
		5.4.3 Gravel Blanket Operation & Maintenance	5-16
	5.5	Moat & Row	
		5.5.1 Description of Moat & Row for PM ₁₀ Control	
		5.5.2 PM ₁₀ Control Effectiveness for Moat & Row	
		5.5.3 Moat & Row Operation & Maintenance	
		5.5.4 Moat & Row as BACM	
	5.6	Stormwater Management	
	5.7	Regulatory Effectiveness	
	5.8	References	5-19
6	Air Qual	ity Modeling	
	6.1	Introduction	
	6.2	Overview of the Dust ID Program	
	6.3	Dispersion Modeling Techniques	
		6.3.1 Preparation of the Meteorological Data	
		6.3.2 PM ₁₀ Emissions and Source Characterization	
		6.3.3 CALPUFF Options and Application	
		6.3.4 Background PM ₁₀ Concentrations	
	6.4	Attainment Demonstration	
		6.4.1 Control Strategies Analysis	
		6.4.2 Attainment Demonstration Results	
	6.5	References	6-8
7		Strategy and Attainment Demonstration	
	7.1	Introduction	
	7.2	2003 Dust Control Area - 29.8 Square Miles	
	7.3	2008 Dust Control Area - 13.2 Square Miles	
		7.3.1 Shallow Flooding Dust Control Areas	
		7.3.2 Moat & Row Dust Control Areas	
		7.3.3 Channel Areas	
	- 4	7.3.4 Fall and Spring Shallow Flooding Ramping Flows	
	7.4	Dust Controls for Study Areas	
	7.5	Dust Controls for Keeler Dunes	
	7.6	Future Supplemental Dust Control Areas	
	7.7	Controls to Meet the State PM ₁₀ Standard	
	7.8	Modeled Attainment Demonstration	
		7.8.1 Modeling the 2003 Control Area – 29.8 Square Miles	/ -8
		7.8.2 Modeling the 2003 and 2008 Control	7.0
	7.9	Areas – 43.0 Square Miles	
	7.9 7.10	Changes to BACM Implementation Milestones and Emission Reductions	7-0 7 0
	7.10 7.11		
	7.11 7.12	Reasonable Further Progress Contingency Measures – Supplemental Controls	7 10
	7.12	Implementation Monitoring and Enforcement	
	7.13 7.14	Cost and Employment	
	7.14	Reducing Implementation Costs	
	1.13	reducing implementation Costs	1-14

	7.16	Existing Rules and Regulations to Control PM ₁₀
	7.17 7.18	Authority and Resources
8	Enabling 8.1 8.2	Legislation to Implement Control Strategy Control Strategy Implementation
9	Summary	of References9-1
10	Glossary 10.1 10.2 10.3	, Acronyms and Measurement Units Glossary
11		on of Clerk of the Board, Resolutions Certifying the EIR and g the SIP11-1
	(A	LIST OF APPENDICES ppendices are bound separately and are available upon request.)
Ар	pendix A	PM ₁₀ Monitoring Data – All Sites 1987 through 2006
Appendix B Air Quality Modeling Report		
Ар	pendix C	Public Comments on the Draft SIP and District Responses
Ар	pendix D	Environmental Findings of Fact and Mitigation Monitoring Program

LIST OF FIGURES

	<u>Follo</u>	wing Page
Figure 2.1	Vicinity map	2-2
Figure 2.2	Relief map	
Figure 2.3	2008 Dust Control Measure footprint map	
Figure 3.1	Boundaries of the federal PM ₁₀ non-attainment area	3-2
Figure 3.2	Locations of PM ₁₀ monitor sites near Owens Lake	
Figure 3.3	Annual trend for the number of exceedances	
Figure 3.4	Annual average concentrations measured at each site using TE monitors.	
Figure 3.5	Yearly comparison of highest Owens Lake PM ₁₀ concentrations	
. igai o oio	Highest nationwide values, 1995 to 2006	
Figure 3.6	Daily 24-hour maximum TEOM PM ₁₀ values at Owens Lake,	
. igaio oio	2001 to 2006	3-6
Figure 3.7	Locations of sensitive airsheds near the OVPA	
Figure 4.1	2006 annual PM ₁₀ emissions inventory for the Owens Valley	
	Planning Area	
Figure 4.2	Conceptual depiction of the wind erosion process	
Figure 4.3	Owens Lake Dust ID monitoring network (2002).	
Figure 4.4	Owens Lake Dust ID monitoring network (2006)	
Figure 4.5	An example of the linearity between CSC mass and Sensit read	
Figure 4.6	Example of Dust ID sand flux monitor site on the Owens Lake B	
Figure 4.7	Diagram of the Cox Sand Catcher.	4-8
Figure 4.8	Example of a Cox Sand Catcher with the inner sampling tube	
	removed	4-8
Figure 4.9	Example of network sand flux measurements and visual	
	observations during a dust event	
Figure 4.10	Hourly and period K-factors for the South area	
Figure 4.11	Hourly and period K-factors for the Keeler dunes	
Figure 4.12	Hourly and period K-factors for the Central area	
Figure 4.13	Hourly and period K-factors for the North area.	
Figure 4.14	Map of off-lake dune areas	4-10
Figure 5.1	Natural shallow flooding – flows from shoreline seeps and	
	springs out on to lake bed	5-4
Figure 5.2	Shallow Flooding – ground level view of sheet flood method	
Figure 5.3	Shallow Flooding – aerial view of sheet flood method	
Figure 5.4	Shallow Flooding – ground level view of pond flood method	
Figure 5.5	Shallow Flooding – aerial view of pond flood method	
Figure 5.6	Shallow Flooding – raised equipment pads with armored berms	
Figure 5.7	TDCA Minimum Dust Control Efficiency map	
Figure 5.8	Shallow Flood control efficiency curve	5-4

Figure 5.9	Shallow Flooding satellite image	5-8
Figure 5.10	Shallow Flooding compliance status	5-8
Figure 5.11	Shallow Flooding compliance detail	5-8
Figure 5.12	Shallow Flooding wildlife	
Figure 5.13	Natural saltgrass meadow on northeast corner of the	
1 19410 0110	Owens Lake bed	5-10
Figure 5.14	Managed Vegetation – aerial view	
•		
	Managed Vegetation – ground view	5-10
rigure 5. 15b	Managed Vegetation – equipment pad with sand filters and	E 10
F:	chemical tanks	
Figure 5.16	Gravel Blanket on north end of the lake bed	
Figure 5.17	Moat & Row ground photograph test site by the City	
Figure 5.18	Moat & Row ground photograph test site by the City	5-16
Figure 6.1	Owens Lake PM ₁₀ and meteorological monitoring network	6-8
Figure 6.2	Owens Lake sensit network for July 2005 through June 2006	
Figure 6.3	Model domain and one-km mesh size terrain (m)	
Figure 6.4	Area source configuration for July 2005 through June 2006	
•		0-0
Figure 6.5	Fifth highest 24-Hour PM ₁₀ (μg/m ³) at shoreline receptors,	C 0
F: 0.0	no Keeler dunes, after controls (every 4th plotted)	ხ-8
Figure 6.6	Number of 24-hour PM ₁₀ predictions greater than 150 μg/m ³	
	at shoreline receptors, no Keeler dunes, after controls	
	(every 4th plotted)	6-8
Figure 7.1	2008 dust control measure footprint map	7-2
Figure 7.2	TDCA minimum dust control efficiency map	7-2
Figure 7.3	Control efficiency map for shallow flood areas during seasonal	
rigule 7.5	ramping period	7_1
Figure 7.4	1 01	
Figure 7.4	Sand dune that formed across the old State Highway to Death Valle	y 1-0
Figure 7.5	Projected reasonable further progress trend for the annual lake bed	7.40
	emissions resulting from implementation of the SIP control strategy.	7-10
Exhibit 1	Map and Coordinates of PM ₁₀ Control Areas	8-16
	Minimum Dust Control Efficiency Map	
	Shallow Flood Control Efficiency Curve	
EXHIBIT O	Challew 1 lood Control Emolerloy Carve	0 10
Attachment A	2006 Settlement Agreement between the Great Basin Unified	
	Air Pollution Control District and the City of Los Angeles	8-16
	7 th 1 direction Control District and the City of 2007 thigolog himmin.	0 . 0
Attachment E	3 2008 Owens Valley Planning Area Supplemental Control	
/ ttaoriiriorit L	Requirements Determination Procedure	8-16
	Requirements Determination i 100eaure	0-10
Attachment C	2008 Owens Lake Dust Source Identification Program Protocol	8-16
Augument C	2000 Owens Lake Dust Source Identification Flogram Flotocol	0-10
Attachment F	2009 Procedure for Modifying Post Available Control Massures	
Attachment D	, 0	0.40
	(BACM) for the Owens Valley Planning Area	0-10

LIST OF TABLES

Dogo	٥r		lowing	Dogg
raue	OI	ΓUI	iowiria	Paue

Table 3.1 Table 3.2 Table 3.3 Table 3.4 Table 3.5	California and national ambient air quality standards	3-6 3-6 3-7
Table 4.1	75-percentile storm-average K-factors	4-10
Table 4.2	Summary of the annual emissions forecast for all the emission source categories in the planning area for the period from 1997 to 2017	4-10
Table 5.1	Summary of studies relating the surface cover of vegetation to percent control of PM ₁₀ emissions.	5-14
Table 7.1 Table 7.2	Control strategy milestones and estimated PM ₁₀ emission reductions Summary of construction costs, annual costs and costs per ton of PM ₁₀ controlled	
Table 7.3	Existing rules and regulations to control sources of PM ₁₀	